

02 Recessed Spots Fixed LED>The LED Glass Range

## 10103G/W



3W LED Glass range recessed spot IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.




### Downloads



### Dimensions



### Gallery



### Must be ordered separately





89004

## Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The LED Glass Range
Order Code	10103G/W
Material	Acrylic
Shape	Circular
Height	17mm
Diameter	100mm
Cutout Hole Diameter	66mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	100lm

Light Efficiency

33,33lm/W

Illumination Diagram



## Packing Info

Pcs/Carton

64


Barcode

5291889026495

HS Code

9405409900

## Energy Label



## Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

