

02 Recessed Spots Fixed LED>The IP65 Bathroom Range

10103P/AL/D



1W/3W COB LED recessed spot IP65.

Requires 350mA/700mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89004





89004A

Physical Specification

Product Type	Fitting
Item Group	02 Recessed Spots Fixed LED
Family	The IP65 Bathroom Range
Order Code	10103P/AL/D
Colour	Aluminium
Material	Aluminium
Shape	Circular
Height	46mm
Diameter	46mm
Cutout Hole Diameter	37mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes
Outdoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA/700mA
Safety Class	
Power(Watts)	1W/3W
IP Rating	IP65
Light Source	LED built in
LED Brand	Epistar
LED Number	1
Cable Length	60cm
F Mark	


Illumination Data

Colour Temperature	6000K
Lumen Output	210lm@700mA
Light Efficiency	70lm/W
CRI	80
Beam Angle	30°
Illumination Diagram	

Packing Info

Box Length	13,5cm
Box Width	6cm
Box Height	5cm
Box Weight	0,122kg
Pcs/Carton	100
Barcode	5291889025863
HS Code	9405409900

Energy Label



Warranty

2 Years

Wee Directive

Yes

switch to
one light!

one
LIGHT

