

02 Recessed Spots Fixed LED>The IP65 Bathroom Range

## 10103P/AL/W



1W/3W COB LED recessed spot IP65.

Requires 350mA/700mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions




### Gallery



### Must be ordered separately



89004





89004A

## Physical Specification

Product Type	Fitting
Item Group	02 Recessed Spots Fixed LED
Family	The IP65 Bathroom Range
Order Code	10103P/AL/W
Colour	Aluminium
Material	Aluminium
Shape	Circular
Height	46mm
Diameter	46mm
Cutout Hole Diameter	37mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes
Outdoor	Yes

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	350mA/700mA
Safety Class	
Power(Watts)	1W/3W
IP Rating	IP65
Light Source	LED built in
LED Brand	Epistar
LED Number	1
Cable Length	60cm
F Mark	


## Illumination Data

Colour Temperature	3000K
Lumen Output	190lm@700mA
Light Efficiency	63,33lm/W
CRI	80
Beam Angle	30°
Illumination Diagram	

## Packing Info

Box Length	13,5cm
Box Width	6cm
Box Height	5cm
Box Weight	0,122kg
Pcs/Carton	100
Barcode	5291889025870
HS Code	9405409900

## Energy Label



Warranty

2 Years

Wee Directive

Yes

switch to  
**one light!**

one  
LIGHT

