

02 Recessed Spots Fixed LED>The COB Bathroom IP44 Range

10105W/AL/W



5W LED recessed spot, IP44, suitable for installation inside bathrooms.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery






Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The COB Bathroom IP44 Range
Order Code	10105W/AL/W
Colour	Aluminium
Material	Aluminium
Diffuser Material	Acrylic
Shape	Circular

Height	70mm
Diameter	74mm
Cutout Hole Diameter	57mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	5W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Safety Class	
Power(Watts)	4,5W
IP Rating	IP44
Light Source	LED built in
LED Type	COB
LED Brand	Cree

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

4-8W

Power Factor

0,8

Constant Current

Yes

500mA

8-16V

IP Rating

IP20

Safety Class



Dimmable

No

Ambient Temp

50°C

Operating Temp

75°C

Housing Material

Plastic

Output Terminal

Connector

Brand

Eaglerise

Protection

Short Circuit / Overheat Protection

Illumination Data

Colour Temperature

3000K

Lumen Output

425lm

Light Efficiency

85lm/W

CRI

80

Beam Angle

30°


Illumination Diagram



Packing Info

Box Weight	0,25kg
Pcs/Carton	30
Barcode	5291889036371
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Average Lifetime	50000hrs
Weee Directive	Yes

switch to
one light!

one
LIGHT

