

02 Recessed Spots Fixed LED>The IP65 Bathroom Range

10106P/W/W



IP65 6W COB LED recessed spot suitable for installation in bathroom.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family

The IP65 Bathroom Range

Order Code

10106P/W/W

Material

Plastic

Diffuser Material

PC

Shape



Circular

Height

59mm

| | |
|----------------------|------|
| Diameter | 85mm |
| Cutout Hole Diameter | 68mm |
| Recessed Ceiling | Yes |
| Depth Required | 80mm |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |


Electrical Characteristics

| | |
|------------------|---|
| Gear | Built In |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 6W |
| IP Rating | IP65 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

| | |
|---------------|------------------|
| Fitting | |
| Input Type | Constant Current |
| Input Current | 75mA |
| Voltage | 72V |
| Power(Watts) | 5,4W |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Smalite |

| | |
|---------------|------------|
| LED Number | 8 |
| Gear | |
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 6W |
| Power Factor | 0,5 |
| Output | 72V |
| Voltage Range | 72V |
| Brand | 0 |
| Protection | 0 |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 415lm |
| Light Efficiency | 69,17lm/W |
| CRI | 80 |
| Beam Angle | 100° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Length | 9cm |
| Box Width | 9cm |
| Box Height | 7,5cm |
| Box Weight | 0,117kg |
| Pcs/Carton | 48 |
| Barcode | 5291889044949 |
| HS Code | 9405409900 |



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

