

02 Recessed Spots Fixed LED>The 7W Dark Light Range

## 10107DC/W/W



7W COB LED Dark Light spot with a beam angle of 50°. Ideal for commercial and residential application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery






### Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The 7W Dark Light Range
Order Code	10107DC/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	83mm

Diameter	67mm
Cutout Hole Diameter	55mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Cable Length	15cm
F Mark	

Fitting	
Input Type	Constant Current
Safety Class	
Power(Watts)	6,3W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Epistar
LED Number	1

## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

4,2W-7,2W

Power Factor

0,9

Constant Current

Yes

300mA

0

IP Rating

IP20

Safety Class



Dimmable

No

Ambient Temp

50°C

Operating Temp

75°C

Housing Material

Plastic

Output Terminal

Cable

Brand

Eaglerise

## Illumination Data

Colour Temperature

3000K

Lumen Output

560lm

Light Efficiency

80lm/W

CRI

80

Beam Angle

50°

Illumination Diagram




Dark Light

Yes

## Packing Info

Box Length	9cm
Box Width	7cm
Box Height	11cm
Box Weight	0,23kg
Pcs/Carton	50
Barcode	5291889052111
HS Code	9405409900

## Energy Label



## Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

