



# **Product Datasheet**

New 2020 Edition 3>Recessed Spots Fixed LED

## 10110P/W/C



12W COB LED recessed spot IP65.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.















Downloads










Dimensions







80mm

Gallery



Must be ordered separately



89015A

#### Related items



89015AT

#### Physical Specification

Item Group	New 2020 Edition 3
Family	Recessed Spots Fixed LED
Order Code	10110P/W/C
Colour	White
Material	Die Cast
Shape	Circular
Height	80mm
Diameter	85mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

#### Electrical Characteristics


Input Type	Constant Current
Input Current	700mA
Voltage	18V
Safety Class	<u> </u>
Power(Watts)	12W
IP Rating	IP65

Light Source	LED built in
LED Type	СОВ
LED Brand	Bridgelux
LED Number	1
Cable Length	40cm
F Mark	F

Illumination Data	
Colour Temperature	4000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Packing Info	
Pcs/Carton	48
Barcode	5291889067580
HS Code	9405409900

### Energy Label



#### Certification & Warranty

Warranty	5 Years
Weee Directive	Yes



