

06 Downlights Fixed LED>The SMD Dark Light Range Plastic

## 10112KD/W/C



12W SMD LED Dark Light recessed spot IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89015

## Related items



89015T

## Physical Specification

Item Group	06 Downlights Fixed LED
Family	The SMD Dark Light Range Plastic
Order Code	10112KD/W/C
Colour	White
Material	Plastic
Shape	Circular
Height	125mm
Diameter	188mm
Cutout Hole Diameter	168mm
Recessed Ceiling	Yes
Depth Required	160mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
Cable Length	30cm


## Illumination Data

Colour Temperature	4000K
Lumen Output	900lm
Light Efficiency	75lm/W
CRI	80
Beam Angle	100°
Illumination Diagram	
Dark Light	Yes

## Packing Info

Box Length	19,5cm
Box Width	13,5cm
Box Height	19,5cm
Box Weight	0,675kg
Pcs/Carton	12
Barcode	5291889040279
HS Code	9405104090

## Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

