



Product Datasheet

02 Recessed Spots Fixed LED>The COB Dark Light Range

10112L/B/W



12W Dark Light COB LED recessed spot with interchargeable reflector.

Reflector must be ordered separately.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.















Downloads









Dimensions





96mm

Must be ordered separately



10112LR/B



10112LR/W





89015A



10112LR/CU



10112LR/G

10112LR/C

Related items



89015AT

Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The COB Dark Light Range
Order Code	10112L/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	96mm
Diameter	85mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	No

Electrical Characteristics


Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ

LED Brand	Epistar
LED Number	1
Cable Length	40cm
F Mark	F

Illumination Data	
Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	80
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

Packing Info	
Box Length	9cm
Box Width	9cm
Box Height	11cm
Box Weight	0,299kg
Pcs/Carton	50
Barcode	5291889048633
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



