

02 Recessed Spots Fixed LED>The COB Dark Light Range

10112L/W/W



12W Dark Light COB LED recessed spot with interchangeable reflector.

Reflector must be ordered separately.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



10112LR/B



10112LR/BS



10112LR/C



10112LR/CU



10112LR/G



10112LR/W



89015A

Related items




89015AT


Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The COB Dark Light Range
Order Code	10112L/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	96mm
Diameter	85mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	No


Electrical Characteristics


Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	Epistar
LED Number	1
Cable Length	40cm
F Mark	

Epistar
1
40cm


Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	80
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes


3000K
1100lm
91,67lm/W
80
40°

Yes

Packing Info

Box Length	9cm
Box Width	9cm
Box Height	11cm
Box Weight	0,299kg
Pcs/Carton	50
Barcode	5291889048626
HS Code	9405409900

9cm
9cm
11cm
0,299kg
50
5291889048626
9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

