

02 Recessed Spots Fixed LED>The Dark Light Range

## 10112R/B/W



12W Dark Light COB LED recessed spot with interchangeable ring.

Ring must be ordered separately.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



050162/AL



050162/B



050162/DC



050162/GL



050162/W



89015A

Related items




89015AT


Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Dark Light Range
Order Code	10112R/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	70mm
Diameter	85mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	No


Electrical Characteristics


Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	Epistar
LED Number	1
Cable Length	40cm
F Mark	

Epistar
1
40cm


### Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	80
Beam Angle	50°
Illumination Diagram	
Dark Light	Yes


3000K
1100lm
91,67lm/W
80
50°

Yes

### Packing Info

Box Length	9cm
Box Width	9cm
Box Height	8,5cm
Pcs/Carton	50
Barcode	5291889061335
HS Code	9405409900

9cm
9cm
8,5cm
50
5291889061335
9405409900

### Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

