

02 Recessed Spots Fixed LED>The COB Dark Light IP44 Range

10112TP/W/C



12W COB LED recessed spot, IP44, for general application. Suitable for bathroom installation.

Requires 700mA constant current driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015A

Related items




89015AT


Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The COB Dark Light IP44 Range
Order Code	10112TP/W/C
Colour	White
Material	Die Cast
Shape	Circular
Height	100mm
Diameter	82mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	No


Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP44
Light Source	LED built in
LED Type	COB

LED Brand	Epistar
Cable Length	40cm
F Mark	

Epistar
40cm


Illumination Data

Colour Temperature	4000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	80
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

4000K
1100lm
91,67lm/W
80
38°


Yes

Packing Info

Box Length	12cm
Box Width	12cm
Box Height	8,5cm
Box Weight	0,317kg
Pcs/Carton	50
Barcode	5291889046585
HS Code	9405409900

12cm
12cm
8,5cm
0,317kg
50
5291889046585
9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

