

02 Recessed Spots Fixed LED>The COB Dark Light IP44 Range

10112TP/W/EW



12W COB LED recessed spot, IP44, for general application. Suitable for bathroom installation.

Requires 700mA constant current driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015A

Related items



89015AT


Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The COB Dark Light IP44 Range
Order Code	10112TP/W/EW
Colour	White
Material	Die Cast
Shape	Circular
Height	100mm
Diameter	82mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	No

Electrical Characteristics


Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP44
Light Source	LED built in
LED Type	COB

LED Brand	
Cable Length	
F Mark	

Epistar
40cm


Illumination Data

Colour Temperature	
Lumen Output	
Light Efficiency	
CRI	
Beam Angle	
Illumination Diagram	
Dark Light	


2700K
1100lm
91,67lm/W
80
38°

Yes

Packing Info

Box Length	
Box Width	
Box Height	
Box Weight	
Pcs/Carton	
Barcode	
HS Code	

12cm
12cm
8,5cm
0,317kg
50
5291889046561
9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

