

06 Downlights Fixed LED>The COB Project Round Range

10130K/G/W



30W COB LED project round range downlight, IP53.

Complete with 700mA dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery






Physical Specification

Product Type	Gear
Item Group	06 Downlights Fixed LED
Family	The COB Project Round Range
Order Code	10130K/G/W
Colour	Grey
Material	Die Cast
Shape	Circular


Height	165mm
Diameter	190mm
Cutout Hole Diameter	175mm
Recessed Ceiling	Yes
Depth Required	195mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP53
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	


Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	36V
Safety Class	
Power(Watts)	25,2W
IP Rating	IP53
Light Source	LED built in

LED Brand
F Mark

GH


Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
700mA
IP Rating
Safety Class
Dimmable
Ambient Temp
Operating Temp
Housing Material
Output Terminal

Led Driver
220-240V
Yes
Yes
24,5-29,4W
0,9
Yes
35-42V
IP20

No
40°C
80°C
Plastic
Cable

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
2000lm
66,67lm/W
80
100°



Packing Info

Box Length

20cm

Box Width	17,5cm
Box Height	20cm
Box Weight	1,4kg
Pcs/Carton	12
Barcode	5291889028222
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Wee Directive	Yes

switch to
one light!

one
LIGHT

