

Product Datasheet

www.1-light.eu

06 Downlights Fixed LED>The COB Dark Light Range

10150T/W/C



38W/50W Trimless Dark Light Range COB LED downlight, IP20

Requires 1050mA/1400mA LED driver.

Complies with standard EN60598-1 and any other specific standards.





ŝ	IES	Ô	ι
---	-----	---	---

Dimensions

225mm	1
	— 145mm — —
l 155mm l	

Must be ordered separately





89040

89048

Related items





89048T



89050L

Physical Specification

Item Group

06 Downlights Fixed LED



Family	The COB Dark Light Range
Order Code	10150T/W/C
Colour	White
Material	Die Cast
Shape	Circular
Height	145mm
Diameter	155mm
Cutout Hole Diameter	170mm
Recessed trimmless ceiling	Yes
Depth Required	160mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	1050mA/1400mA
Voltage	36V
Safety Class	
Power(Watts)	38W/50W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Luminus
Cable Length	50cm
F Mark	F
Illumination Data	
Colour Temperature	4000K




Lumen Output	2700lm/3750lm
Light Efficiency	75lm/W
CRI	90
Beam Angle	24°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	23cm
Box Width	17,5cm
Box Height	16cm
Box Weight	1,3Kg
Pcs/Carton	6
Barcode	5291889047834
HS Code	9405409900

Energy Label





	Certification	& W	arranty
--	---------------	-----	---------

Warranty	3 Years
Average Lifetime	50000 hours
Weee Directive	Yes

switch to one light!



