

04 Recessed Spots Adjustable LED>The 1W Mini Lighter

11101D/D/15



1W LED adjustable recessed spot, mini lighter range, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately





89004

Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The 1W Mini Lighter
Order Code	11101D/D/15
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	40mm
Diameter	65mm
Cutout Hole Diameter	53mm
Recessed Ceiling	Yes
Depth Required	40mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	1W
IP Rating	IP20
Light Source	LED built in
LED Brand	Lumileds
LED Number	1
Cable Length	40cm
F Mark	


Illumination Data

Colour Temperature	6000K
Lumen Output	60lm
Light Efficiency	60lm/W
Beam Angle	15°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	7cm
Box Width	7cm
Box Height	5cm
Box Weight	0,080kg
Pcs/Carton	100
Barcode	5291889020592
HS Code	9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

