



Product Datasheet

04 Recessed Spots Adjustable LED>The Dark Light Range

11103D/G/W



3W LED Dark Light Recessed adjustable spot, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.

















Downloads







Dimensions





78mm

Gallery



Must be ordered separately



89004

Physical Specification Item Group 04 Recessed Spots Adjustable LED Family The Dark Light Range Order Code 11103D/G/W Colour Grey Material Aluminium Circular Shape Height 78mm Diameter 100mm **Cutout Hole Diameter** 90mm Recessed Ceiling Yes Depth Required 90mm Indoor Yes Adjustable 1 Direction

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	1
Cable Length	40cm
F Mark	F


Illumination Data

Colour Temperature 3000K

Lumen Output	135lm
Light Efficiency	45lm/W
CRI	80
Beam Angle	45°
Illumination Diagram	
Dark Light	Yes

Packing Info Box Length 11cm Box Width 7cm Box Height 8,5cm Pcs/Carton 50 Barcode 5291889032847 HS Code 9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Yes

Weee Directive

switch to one light!

