



Product Datasheet

04 Recessed Spots Adjustable LED>The 3xLED Round Spots

11103L/D/15



3W LED adjustable recessed spot, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.









Downloads







Dimensions







Gallery





Must be ordered separately



89004

Physical Specification Item Group 04 Recessed Spots Adjustable LED The 3xLED Round Spots Family Order Code 11103L/D/15 Colour Aluminium Natural Aluminium Material Shape Circular Height 40mm Diameter 80mm **Cutout Hole Diameter** 70mm Recessed Ceiling Yes Depth Required 50mm Indoor Yes Adjustable 1 Direction

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	F


Illumination Data

Colour Temperature 6000K

Lumen Output	180lm
Light Efficiency	60lm/W
Beam Angle	15°
Illumination Diagram	

Packing Info	
Pcs/Carton	100
Barcode	5291889020257
HS Code	9405409900

Energy Label



Warranty 2 Years Weee Directive Yes

switch to one light!

