

04 Recessed Spots Adjustable LED>The 3xLED Round Spots

## 11103L/W/15



3W LED adjustable recessed spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89004

## Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The 3xLED Round Spots
Order Code	11103L/W/15
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	40mm
Diameter	80mm
Cutout Hole Diameter	70mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Adjustable	1 Direction


## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	

## Illumination Data


Colour Temperature	3000K
--------------------	-------

Lumen Output	135lm
Light Efficiency	45lm/W
Beam Angle	15°
Illumination Diagram	

### Packing Info

Pcs/Carton	100
Barcode	5291889020264
HS Code	9405409900

### Energy Label



### Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to  
**one light!**

**one**  
LIGHT

