

04 Recessed Spots Adjustable LED>The 3W Mini Series

11103LC/B/D/15



3W LED adjustable recessed spot, mini series range, IP20.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89004A

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The 3W Mini Series
Order Code	11103LC/B/D/15
Colour	Black
Material	Aluminium
Shape	Circular
Height	36mm
Diameter	52mm
Cutout Hole Diameter	45mm
Recessed Ceiling	Yes
Depth Required	56mm
Indoor	Yes
Adjustable	1 Direction


Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	1
Cable Length	40cm
F Mark	

Illumination Data


Colour Temperature	6000K
--------------------	-------

Lumen Output	120lm
Light Efficiency	40lm/W
Beam Angle	15°
Illumination Diagram	

Packing Info

Pcs/Carton	100
Barcode	5291889023104
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

