

03 Recessed Spots Adjustable > The Dual Ring Range Aluminium

11105ABGL/B



Recessed adjustable MR16 spot with Leaf Springs and GU10 lamp holder.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery





Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Dual Ring Range Aluminium
Order Code	11105ABGL/B
Colour	Black
Material	Aluminium
Shape	Circular
Height	34mm

Diameter	92mm
Cutout Hole Diameter	80mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	No
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU10
Number of Lamps	1
Dimmable	N/A
Cable Length	15cm
F Mark	

Illumination Data


Illumination Diagram	
----------------------	---

Packing Info

Box Length	10cm
Box Width	10cm

Box Height	5cm
Box Weight	0,183kg
Pcs/Carton	50
Barcode	5291889054382
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

