

03 Recessed Spots Adjustable > The Dual Ring Range Aluminium

## 11105ABGL/W



Recessed adjustable MR16 spot with Leaf Springs and GU10 lamp holder.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery





### Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Dual Ring Range Aluminium
Order Code	11105ABGL/W
Colour	White
Material	Aluminium
Shape	Circular
Height	34mm

Diameter	92mm
Cutout Hole Diameter	80mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	2 Directions

### Electrical Characteristics

Gear	No
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU10
Number of Lamps	1
Dimmable	N/A
Cable Length	15cm
F Mark	

### Illumination Data


Illumination Diagram	
----------------------	---

### Packing Info

Box Length	10cm
Box Width	10cm

Box Height	5cm
Box Weight	0,183kg
Pcs/Carton	50
Barcode	5291889050339
HS Code	9405409900

## Energy Label



## Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to  
**one light!**

**one**  
LIGHT

