

03 Recessed Spots Adjustable > The Dual Ring Range Natural Aluminium

11105AL/AL



Recessed adjustable MR16 spot with GU5.3 lampholder.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Dual Ring Range Natural Aluminium
Order Code	11105AL/AL
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	35mm
Diameter	80mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	70mm
Indoor	Yes

Adjustable

2 Directions

Electrical Characteristics

Fitting

Input Type

Constant Voltage

Input Voltage

12V AC/DC

Safety Class



Power(Watts)

50W

IP Rating

IP20

Light Source

Replaceable lamp

Lamp Holder

GU5.3

Number of Lamps

1

Cable Length

40cm

Illumination Data

Illumination Diagram



Packing Info

Box Length

10cm

Box Width

9,5cm

Box Height

5cm

Box Weight

0,119kg

Pcs/Carton

50

Barcode

5291889003106

HS Code

9405409900

Energy Label



Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

