

03 Recessed Spots Adjustable > The Lock Ring Range

## 11105CF/MC



Recessed adjustable MR16 spot with GU10 lamp holder.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Product Type

Item Group

Family

Order Code

Colour

Material

Shape

Fitting

03 Recessed Spots Adjustable

The Lock Ring Range

11105CF/MC

Brushed Chrome

Die Cast

Circular

Height	150mm
Diameter	98mm
Cutout Hole Diameter	87mm
Recessed Ceiling	Yes
Depth Required	180mm
Indoor	Yes
Adjustable	1 Direction

#### Electrical Characteristics

Gear	No
------	----

#### Fitting + Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU10
Number of Lamps	1
Dimmable	N/A
F Mark	

#### Illumination Data


Illumination Diagram	
----------------------	---

#### Packing Info

Box Length	10cm
Box Width	10cm

Box Height	5cm
Box Weight	0,118kg
Pcs/Carton	50
Barcode	5291889027799
HS Code	9405409900

## Energy Label



## Certification & Warranty

Warranty

2 Years

Wee Directive

Yes

switch to  
**one light!**

one  
LIGHT

