




Product Datasheet

03 Recessed Spots Adjustable>The Lock Ring GU10 Range

11105CGU/MC



Recessed adjustable MR16 spot with GU10 lamp holder.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Lock Ring GU10 Range
Order Code	11105CGU/MC
Colour	Brushed Chrome
Material	Die Cast
Shape	Circular
Height	30mm
Diameter	94mm
Cutout Hole Diameter	82mm
Recessed Ceiling	Yes
Depth Required	95mm
Indoor	Yes

Electrical Characteristics

Gear No

Fitting + Driver

Input Voltage

50 Hz

60 Hz

Safety Class

Power(Watts)

IP Rating

Light Source

Lamp Holder

Number of Lamps

Cable Length

Dimmable

F Mark

100-240V

Yes

Yes

50W

IP20

Replaceable lamp

GU10

1

N/A

15cm

F

Illumination Data

Illumination Diagram



Packing Info

Box Length 10cm

Box Width

Box Height

Box Weight

Pcs/Carton

Barcode

HS Code

10cm

5cm


0,153kg

100

5291889036142

9405409900

Energy Label



Certification & Warranty

Warranty 5 Years
Weee Directive Yes

switch to one light!

