

03 Recessed Spots Adjustable > The Lock Ring GU10 Range

## 11105CGU/W



Recessed adjustable MR16 spot with GU10 lamp holder.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Lock Ring GU10 Range
Order Code	11105CGU/W
Colour	White
Material	Die Cast
Shape	Circular
Height	30mm
Diameter	94mm
Cutout Hole Diameter	82mm
Recessed Ceiling	Yes
Depth Required	95mm
Indoor	Yes

Adjustable

1 Direction

## Electrical Characteristics

Gear

No

## Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

50W

IP Rating

IP20

Light Source

Replaceable lamp

Lamp Holder

GU10

Number of Lamps

1

Dimmable

N/A

Cable Length

15cm

F Mark



## Illumination Data

Illumination Diagram



## Packing Info

Box Length

10cm

Box Width

10cm

Box Height

5cm

Box Weight

0,153kg

Pcs/Carton

100


Barcode

5291889036166

HS Code

9405409900

## Energy Label



## Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

