

04 Recessed Spots Adjustable LED>The COB Pop Up Range

11107F/W/W



7W COB LED recessed adjustable spot, for general lighting applications.

Requires 700mA constant current LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015A

Related items



89015AT

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The COB Pop Up Range
Order Code	11107F/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	50mm
Diameter	120mm
Cutout Hole Diameter	95mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	10V
Safety Class	III
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in

LED Type
LED Brand
LED Number
Cable Length
F Mark

COB
Cree
1
40cm


Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram


3000K
560lm
70lm/W
80
35°


Packing Info

Box Length
Box Width
Box Height
Pcs/Carton
Barcode
HS Code

13cm
13cm
6,5cm
30
5291889051268
9405409900

Energy Label



Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

