

04 Recessed Spots Adjustable LED>Moving Inner Cylinder Range

## 11108M/W/W



8W LED Dark Light Recessed Moving Inner Cylinder range adjustable spot, , IP20.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89015A

Related items




89015AT


Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	Moving Inner Cylinder Range
Order Code	11108M/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	85mm
Diameter	110mm
Cutout Hole Diameter	95mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	2 Directions


Electrical Characteristics


Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	Cree
LED Number	1
Cable Length	40cm
F Mark	

Cree
1
40cm


### Illumination Data

Colour Temperature	3000K
Lumen Output	635lm
Light Efficiency	79,37lm/W
CRI	80
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes


3000K
635lm
79,37lm/W
80
40°

Yes

### Packing Info

Box Length	15,5cm
Box Width	15,5cm
Box Height	13,5cm
Box Weight	0,45Kg
Pcs/Carton	30
Barcode	5291889047254
HS Code	9405409900

15,5cm
15,5cm
13,5cm
0,45Kg
30
5291889047254
9405409900

### Energy Label



Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

