

08 Downlights Adjustable LED>Adjustable Multi LED

11109L/D/35



9W LED adjustable multiled downlight, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015

## Physical Specification

Item Group	08 Downlights Adjustable LED
Family	Adjustable Multi LED
Order Code	11109L/D/35
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	70mm
Diameter	125mm
Cutout Hole Diameter	110mm
Recessed Ceiling	Yes
Depth Required	80mm
Indoor	Yes
Adjustable	1 Direction


## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	9W
IP Rating	IP20
Light Source	LED built in
LED Number	9
Cable Length	40cm
F Mark	

## Illumination Data


Colour Temperature	6000K
--------------------	-------

Lumen Output	540lm
Light Efficiency	60lm/W
Beam Angle	35°
Illumination Diagram	

### Packing Info

Pcs/Carton	30
Barcode	5291889020356
HS Code	9405409900

### Energy Label



### Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to  
**one light!**

**one**  
LIGHT

