

07 Downlights Adjustable>Extractable R111

## 11110H/W



Recessed adjustable R111 extractable downlight with GU10 lampholder.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	07 Downlights Adjustable
Family	Extractable R111
Order Code	11110H/W
Colour	White
Material	Die Cast
Shape	Circular
Height	160mm
Diameter	195mm
Cutout Hole Diameter	185mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes

Adjustable

2 Directions

### Electrical Characteristics

Gear

No

### Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

75W

IP Rating

IP20

Light Source

Replaceable lamp

Lamp Holder

GU10

Number of Lamps

1

Dimmable

N/A

Cable Length

20cm

F Mark



### Illumination Data

Illumination Diagram



### Packing Info

Box Length

20cm

Box Width

20cm

Box Height

18cm

Box Weight

1,38Kg

Pcs/Carton

8


Barcode

5291889020684

HS Code

9405409900

## Energy Label



## Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

