

04 Recessed Spots Adjustable LED>The 12W COB Dark Light

## 11112DL/B/W



12W LED Dark Light Recessed adjustable spot, IP20.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89015A

Related items




89015AT


Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The 12W COB Dark Light
Order Code	11112DL/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	105mm
Diameter	85mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	140mm
Indoor	Yes
Adjustable	1 Direction


Electrical Characteristics


Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	Epistar
LED Number	1
Cable Length	40cm
F Mark	

Epistar
1
40cm


### Illumination Data

Colour Temperature	3000K
Lumen Output	900lm
Light Efficiency	75lm/W
CRI	80
Beam Angle	24°
Illumination Diagram	
Dark Light	Yes


3000K
900lm
75lm/W
80
24°

Yes

### Packing Info

Box Length	9cm
Box Width	9cm
Box Height	11,5cm
Box Weight	0,390Kg
Pcs/Carton	50
Barcode	5291889053040
HS Code	9405409900

9cm
9cm
11,5cm
0,390Kg
50
5291889053040
9405409900

### Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

