

04 Recessed Spots Adjustable LED>The COB Shop & Hotel Range

11112E/W/C



12W LED Dark Light Recessed adjustable spot, IP20.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015A

Related items



89015AT


Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The COB Shop & Hotel Range
Order Code	11112E/W/C
Colour	White
Material	Die Cast
Shape	Circular
Height	80mm
Diameter	100mm
Cutout Hole Diameter	87mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics


Fitting


Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	Epistar
LED Number	1
Cable Length	40cm
F Mark	

Epistar
1
40cm


Illumination Data

Colour Temperature	4000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	80
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes


4000K
1100lm
91,67lm/W
80
40°

Yes

Packing Info

Box Length	10,5cm
Box Width	10,5cm
Box Height	10,5cm
Box Weight	0,322Kg
Pcs/Carton	50
Barcode	5291889047315
HS Code	9405409900

10,5cm
10,5cm
10,5cm
0,322Kg
50
5291889047315
9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

