

08 Downlights Adjustable LED>Adjustable Multi LED

## 11112L/D/15



12W LED adjustable multiled downlight, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89015

## Physical Specification


Product Type	Gear
Item Group	08 Downlights Adjustable LED
Family	Adjustable Multi LED
Order Code	11112L/D/15
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	70mm
Diameter	155mm
Cutout Hole Diameter	140mm
Recessed Ceiling	Yes
Depth Required	80mm
Indoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Number	12
Cable Length	40cm
F Mark	


## Illumination Data

Colour Temperature	6000K
Lumen Output	720lm
Light Efficiency	60lm/W
Beam Angle	15°
Illumination Diagram	

### Packing Info

Pcs/Carton	30
Barcode	5291889019879
HS Code	9405409900

### Energy Label



### Certification & Warranty

Warranty	2 Years
Wee Directive	Yes

switch to  
**one light!**

**one**  
LIGHT

