

04 Recessed Spots Adjustable LED>The COB Cylinders

11112RB/B/W



12W COB LED recessed adjustable spot, black with brass reflector for general lighting applications.

Requires 350mA constant current LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89015

Related items



89011D



89015T

Physical Specification



Item Group

04 Recessed Spots Adjustable LED


| | |
|----------------------|-------------------|
| Family | The COB Cylinders |
| Order Code | 11112RB/B/W |
| Colour | Black |
| Material | Aluminium |
| Shape | Circular |
| Height | 155mm |
| Diameter | 65 |
| Cutout Hole Diameter | 55mm |
| Recessed Ceiling | Yes |
| Depth Required | 50mm |
| Indoor | Yes |
| Adjustable | 2 Directions |

Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Voltage | 34,4V |
| Safety Class |  |
| Power(Watts) | 12W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Citizen |
| LED Number | 1 |
| Cable Length | 40cm |
| F Mark |  |


Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 1020lm |
| Light Efficiency | 85lm/W |
| CRI | 90 |
| Beam Angle | 36° |
| Illumination Diagram |  |
| Dark Light | Yes |

Packing Info

| | |
|------------|---------------|
| Box Length | 9,5cm |
| Box Width | 9,5cm |
| Box Height | 62cm |
| Pcs/Carton | 18 |
| Barcode | 5291889058298 |
| HS Code | 9405409900 |

Energy Label



Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

