

04 Recessed Spots Adjustable LED>The 12W COB Dark Light

1112TA/W/W



12W LED Dark Light Recessed adjustable spot, IP20.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015A

Related items




89015AT

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The 12W COB Dark Light
Order Code	11112TA/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	110mm
Diameter	105mm
Cutout Hole Diameter	90mm
Recessed Ceiling	Yes
Depth Required	125mm
Indoor	Yes
Adjustable	1 Direction


Electrical Characteristics


Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	Epistar
LED Number	1
Cable Length	40cm
F Mark	

Epistar
1
40cm


Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	80
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes


3000K
1100lm
91,67lm/W
80
40°

Yes

Packing Info

Box Length	11,5cm
Box Width	11,5cm
Box Height	12,5cm
Box Weight	0,322Kg
Pcs/Carton	50
Barcode	5291889043997
HS Code	9405409900

11,5cm
11,5cm
12,5cm
0,322Kg
50
5291889043997
9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

