

## 08 Downlights Adjustable LED>The COB Pop Up Range

## 11115E/W/W



12W LED adjustable COB Pop Up range downlight, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89015

Related items



89015T


Physical Specification

Item Group	08 Downlights Adjustable LED
Family	The COB Pop Up Range
Order Code	11115E/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	53mm
Diameter	150mm
Cutout Hole Diameter	135mm
Recessed Ceiling	Yes
Depth Required	65mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	III
Power(Watts)	15W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand
Cable Length
F Mark

Cree
30cm


## Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram


3000K
1114lm
74,26lm/W
80
38°


## Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

0,62Kg
25
5291889040262
9405409900

## Energy Label



Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

