



Product Datasheet

08 Downlights Adjustable LED>Adjustable Multi LED

11118L/D/35



18W LED adjustable multiled downlight, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.






Downloads







Dimensions



Gallery



Must be ordered separately



89020

Physical Specification 08 Downlights Adjustable LED Item Group Family Adjustable Multi LED Order Code 11118L/D/35 Colour Aluminium Natural Aluminium Material Circular Shape Height 70mm Diameter 170mm **Cutout Hole Diameter** 155mm Recessed Ceiling Yes Depth Required 90mm Indoor Yes Adjustable 1 Direction

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	<u> </u>
Power(Watts)	18W
IP Rating	IP20
Light Source	LED built in
LED Number	12
Cable Length	40cm
F Mark	F


Illumination Data

Colour Temperature 6000K

Lumen Output	1080lm
Light Efficiency	60lm/W
Beam Angle	35°
Illumination Diagram	

Packing Info	
Pcs/Carton	30
Barcode	5291889019190
HS Code	9405409900

Energy Label



Warranty 2 Years Wee Directive Yes

switch to one light!

