




Product Datasheet

08 Downlights Adjustable LED>The COB Semi Trimless Range

11118TR/G/C



18W COB LED Recessed Adjustable downlight, semi trimless, IP20.

Complete 450mA driver.

Complies with standard EN60598-1 and any other specific standards














Downloads







Dimensions



Gallery



Physical Specification

Item Group	08 Downlights Adjustable LED
Family	The COB Semi Trimless Range
Order Code	11118TR/G/C
Colour	Grey
Material	Aluminium
Shape	Circular
Height	160mm

Diameter	154mm
Cutout Hole Diameter	135mm
Recessed Ceiling	Yes
Depth Required	200mm
Indoor	Yes
Adjustable	2 Directions
lectrical Characteristics	
Gear	External-Included
Fitting a Debuga	
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	18W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	450mA
Voltage	38V
Safety Class	
Power(Watts)	17,4W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree

LED Number	1
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	16-20W
Power Factor	0,9
Constant Current	Yes
450mA	35-45V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	0
Protection	0
llumination Data	
Colour Temperature	4000K
Lumen Output	1300lm
Light Efficiency	72,22lm/W
CRI	80
Beam Angle	35°
Illumination Diagram	
Dark Light	Yes

Packing Info

 Box Length
 28cm

 Box Width
 20cm


 Box Height
 19cm

 Pcs/Carton
 20

 Barcode
 5291889032922

 HS Code
 9405409900

Energy Label



Certification & Warranty

Warranty 2 Years

switch to one light!

