

08 Downlights Adjustable LED>The COB Shop Downlights Pro

**11125B/W/C**



25W COB LED Recessed adjustable downlight, shop range, IP20.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads



#### Dimensions



#### Gallery



#### Physical Specification

Product Type

Item Group

Family

Order Code

Colour

Material

Shape

Gear

08 Downlights Adjustable LED

The COB Shop Downlights Pro

11125B/W/C



White


Die Cast


Circular

Height	83mm
Diameter	205mm
Cutout Hole Diameter	190mm
Recessed Ceiling	Yes
Depth Required	120mm
Indoor	Yes
Adjustable	2 Directions


## Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	25W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	35V
Safety Class	
Power(Watts)	24,5W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	Epistar
Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	19,6-30W
Power Factor	0,9
Constant Current	Yes
700mA	28-43V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic

#### Illumination Data

Colour Temperature	4000K
Lumen Output	2450lm
Light Efficiency	98lm/W
CRI	80
Beam Angle	35°
Illumination Diagram	

#### Packing Info

Box Length	23,5cm
Box Width	23cm
Box Height	11cm
Box Weight	1,5kg
Pcs/Carton	8


Barcode

5291889039372

HS Code

9405409900

## Energy Label



## Certification & Warranty

Warranty

2 Years

Wee Directive

Yes

switch to  
**one light!**

one  
LIGHT

