# $Ohref{linear}$

### **Product** Datasheet

www.1-light.eu

11130E/B/W

### New 2020 Edition 2>Recessed Spots Adjustable LED



30W COB LED adjustable recessed Spot with dark chrome reflector.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



# Downloads

#### Dimensions



#### **Physical Specification**

Item Group	New 2020 Edition 2
Family	Recessed Spots Adjustable LED
Order Code	11130E/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	75mm

Diameter	220mm
Cutout Hole Diameter	200mm
Recessed Ceiling	Yes
Depth Required	95mm
Indoor	Yes



1 Direction

#### **Electrical Characteristics**

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	750mA
Voltage	38,5V
Safety Class	
Power(Watts)	28,87W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ

LED Brand	Cree
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V



50 Hz	Yes
60 Hz	Yes
Power(Watts)	24,75-30W
Power Factor	0,9
Constant Current	Yes
750mA	33-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud

### Illumination Data

Colour Temperature	3000K
Lumen Output	2550lm
Light Efficiency	85lm/W
CRI	80
Beam Angle	30°
Illumination Diagram	
Dark Light	Yes

Packing Info	
Pcs/Carton	10
Barcode	5291889064237

9405409900







#### Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

## switch to one light!



