



17.2W/M 24V LED RGBW STRIP

17.2W 24V LED STRIP

17.2W

30K LIFESPAN (HRS) 120°

BEAM ANGLE

1 YEAR WARRANTY

CE & ROHS

IP65

DIMMABLE

24V

5050 LED CHIP

CRI 80

FEATURES & BENEFITS

COMPATIBLE CONTROLLERS & RECEIVERS

- 24VIP65
- Dimmable
- 10M Reel
- · Commercial grade high quality
- · 120mm cut spacing

- Constant voltage
- Available in Multicoloured & White light (3000K) output
- · 1 year warranty

(It is recommended to use Aluminium Extrusion for all LED Strip installs to prevent premature failure. Warranty will be extended to 2 years if installed with Aluminium Extrusion)







MULTI RF RECEIVER

COMPATIBLE CONTROLLERS & RECEIVERS						
Product Code	Luckins Code	Power	Colour	Lumens	Cutting Space	Dimensions
BI24-RGBW-IP65-10M	10119	17.2W	RGBW	720lm/m	120mm	12mm x 10000





RGBW Double End Connector

RGBW Single End Connector

17.2W 24V LED RGBW STRIP ACCESSORIES

LED STRIP CONNECTORS

DRIVER REFERENCE TABLE

It is recommended to run a maximum of 10 metres continuously to avoid any voltage drop and leave a 20% tolerance on a driver. For further information about the 24V DC LED Drivers see page 62-63



SPECIFICATIONS		
Product Code	Luckins Code	Description
SEND-RGBW	4027	12mm RGBW Single End Connector
D-END-RGBW	4028	12mm RGBW Double End Connector