

**CA0061****1-BUTTON CIAO ENTRANCE PANEL. 2-WIRE ANALOG.****ANALOG**

Ciao series outdoor audio entrance panel for 2-wire analogue systems and designed for 1-call systems for kit art. KCA0061. Front panel in synthetic polymer, resistant to atmospheric agents (IP54 protection rating and paint with anti-UV treatment) and acts of vandalism (IK08 protection rating). Complete with call button art. CA9213. Wall installation support included.



CA0061

1-BUTTON CIAO ENTRANCE PANEL. 2-WIRE ANALOG.

GENERAL DATA

Type	Monoblock
Height (mm)	172
Width (mm)	100
Depth (mm)	28
Product color	Gray RAL 7042
Product weight (g)	300
Type of finishing materials	Technopolymer
Wall-mounted	Yes

AUDIO FEATURES

Microphone	4mm (Ø), Omnidirectional
Loudspeaker	50mm (Ø), 50 Ohm, 0.25W

ELECTRICAL CHARACTERISTICS

Type of power supply	External power supply
Supply voltage	12VAC
Maximum absorption (W)	15

HARDWARE FEATURES

Call type	Push-buttons
Type of buttons	Mechanical
Number of push-buttons (n°)	1
Backlight colour	White

SETTINGS

Loudspeaker volume	Yes
Microphone volume	Yes

ENVIRONMENTAL AND COMPLIANCE FEATURES

IP protection rating	IP54
----------------------	------



CA0061

1-BUTTON CIAO ENTRANCE PANEL. 2-WIRE ANALOG.

ENVIRONMENTAL AND COMPLIANCE FEATURES

Operating temperature (°C)	-25 ÷ 55
Operating humidity (RH max) (%)	20 ÷ 95
Environmental class	IV
CE certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)

MAIN FUNCTIONS

Input for local door release button	Yes
-------------------------------------	-----