

ACCESS CONTROL
**ANTI-CLONE PROTECTION
FOR PROXIMITY KEYFOBS**



Take back control
of your property



**ANTI-CLONE
GUARANTEE**



**ANTI-CLONE
GUARANTEE**

More about our anti-clone technology



Alarm scenarios can be created to alert management of the use of unauthorised fobs

Attempting to use an unauthorized clone of a fob will alert the system and prevent its use.

Use of unauthorised fobs can be seen in the events log

Function can be deactivated by the property manager remotely via BATICONNECT® CLOUD.

What changes for the resident

1

Resident makes an unauthorised copy

The resident is therefore now in possession of 2 identical badges.



Original keyfob



Unauthorised copy

2

When the resident tries to use the unauthorised copy

The system identifies and neutralizes the copy from its first use.

The first fob presented at the reader will be identified as the authentic fob which in turn deactivates the other fob.

What changes for the manager or housing association



1

The resident complains their fob will not work anymore!

The resident comes to complain to the caretaker/manager that his/her fob no longer works (without informing management that he/she made an unauthorized clone of the fob).



2

Manager checks the event log for the cause of the failure

The caretaker / manager will check the event log on BATICONNECT to observe the latest access events. The latest event observed states " Suspected APASS forgery". Caretaker / manager can then determine that the fob used by the resident was a clone.



3

Manager informs the resident that the fob is a clone

The caretaker / manager informs the resident that "their fob has been copied by an unauthorized machine which resulted in the deactivation of his / her fob by the systems access control."



How the technology works at a glance

1 A fob is presented to the reader

2 Copy can be detected when either an original or copied fob is presented to the reader

3 The fob is read, and allowed entry. Also notifies the system of the serial number, and issues a new rolling code

4 The fob with the new rolling code (original or copied) will now carry that serial number, and others will be rejected

REGULAR UPDATES

Our system is fully cloud based, granting the ability to continuously update the system. Providing the system with new software, features and enhancing its security. This means that our systems are fully future proofed, so that the end user can have peace of mind that their system is always working at its best!

IP DOOR ENTRY

08000 156496
sales@ipdooreentry.co.uk
www.ipdooreentry.co.uk
f ipdooreentry

IP Door Entry Limited
Unit DC4 Prologis Park
Eastman Way
Hemel Hempstead
HP2 7DU



24/7/365
www.baticonnect.com