

**IX0101****SWITCH FRONT PLATE WITH 1 BUTTON**

Front plate for Switch entrance panel in 2.5 mm thick brushed AISI 316 stainless steel. Adapter art. 1250U (supplied) offers the option of using the audio or audio/video module - not supplied - depending on the type of wiring applied (Simplebus digital 2-wire or ViP). Complete with 1 pre-fitted, pre-wired button. White LED nameplate backlighting. Nameplate replacement from the front. Protection rating IK08. To be finished with flush-mounted box or surface-mounted casing (not supplied). Dimensions (L x H x P): 150 x 262.7 x 2.5 mm.

AWARDSDESIGN
MILANO



IX0101

SWITCH FRONT PLATE WITH 1 BUTTON

GENERAL DATA

| | |
|---------------|---------------------------------|
| Type | Monoblock |
| Height (mm) | 262.7 |
| Width (mm) | 150 |
| Depth (mm) | 2.5 |
| Product color | Steel |
| Flush-mounted | Yes, with a dedicated accessory |
| Wall-mounted | Yes, with a dedicated accessory |

COMPATIBLE SYSTEMS

| | |
|---|--|
| Compatible audio and audio/video units | Art.1682, Art.1682HVC, Art.4682HD, Art.1621, Art.1621VC, Art.1622, Art.1622VC, Art.4680C, Art.4681 |
| Audio/video Simplebus 2 with power supply art. 4888C | Yes |
| Audio/video Simplebus 2 with power supply art. 1210/1210A | Yes |
| Simplebus 2 audio/video kit with power supply art. 1209 | Yes |
| Audio Simplebus 2 with power supply art. 1210/1210A | Yes |
| Audio Simplebus 1 | Yes |
| ViP | Yes |

AUDIO FEATURES

| | |
|--------------------------|----------------|
| Technologies implemented | Echo canceling |
|--------------------------|----------------|

HARDWARE FEATURES

| | |
|-----------------------------|--------------|
| Call type | Push-buttons |
| Type of buttons | Mechanical |
| Number of push-buttons (n°) | 1 |
| Backlight colour | White |

ENVIRONMENTAL AND COMPLIANCE FEATURES



IX0101

SWITCH FRONT PLATE WITH 1 BUTTON

| | |
|-----------------------------------|----------|
| IP protection rating | IP54 |
| Vandal Resistant rating (IK code) | IK08 |
| Operating temperature (°C) | -25 ÷ 55 |
| Operating humidity (RH max) (%) | 25 ÷ 95 |
| Environmental class | III |



IX0101

SWITCH FRONT PLATE WITH 1 BUTTON

ACCESSORIES



IX9160 HOUSING FOR FRONT PLATE W/ 1-2-3-4 BUTTONS

Surface-mounted casing for entrance panels art. IX0101, IX0102, IX0103 and IX0104 with 1-2-3-4 buttons.



IX9150 FLUSH-MOUNTED BOX FOR FRONT PLATE W/ 1-2-3-4 BUTT.

Flush-mounted box for entrance panels art. IX0101, IX0102, IX0103 and IX0104 with 1-2-3-4 buttons. Dimensions: 124x236.7x56 mm.