1/4



IX0101KP

SWITCH FACEPLATE, 1 BUT. + ELECTRONIC KEY











Front plate for Switch entrance panel with electronic keypad in 2.5 mm thick brushed AISI 316 stainless steel. Adapter art. 1250U (supplied) offers the option of using the audio or audio/video module - not supplied - depending on the type of wiring applied (Simplebus digital 2-wire or ViP). Complete with 1 pre-fitted, pre-wired button. White LED nameplate backlighting. Nameplate replacement from the front. Protection rating IK08. To be finished with flushmounted box or surface-mounted casing (not supplied). Dimensions (L x H x P): $150 \times 262.7 \times 2.5 \text{ mm}$.

AWARDS





IX0101KP

SWITCH FACEPLATE, 1 BUT. + ELECTRONIC KEY		
GENERAL DATA		
Туре	Monoblock	
Height (mm)	262.7	
Width (mm)	150	
Depth (mm)	2.5	
Product color	Steel	
Flush-mounted	Yes, with a dedicated accessory	
Wall-mounted	Yes, with a dedicated accessory	

COMPATIBLE SYSTEMS	
Compatible audio and audio/video units	Art.1682, Art.1682HVC, Art.4682HD, Art.1621, Art.1622, Art.1622VC, Art.4680C, Art.4681
Audio/video Simplebus 2 with power supply art. 4888C	Yes
Audio/video Simplebus 2 with power supply art. 1210/1210A	Yes
Simplebus 2 audio/video kit with power supply art. 1209	Yes
Audio Simplebus 2 with power supply art. 1210/1210A	Yes
Audio Simplebus 1	Yes
ViP	Yes

HARDWARE FEATURES	
Call type	Push-buttons
Type of buttons	Mechanical
Number of push-buttons (n°)	1
Backlight colour	White

ENVIRONMENTAL AND COMPLIANCE FEATURES		
IP protection rating	IP54	
Vandal Resistant rating (IK code)	IK08	







IX0101KP

SWITCH FACEPLATE, 1 BUT. + ELECTRONIC KEY		
ENVIRONMENTAL AND COMPLIANCE FEATURES		
Operating temperature (°C)	-25 ÷ 55	
Operating humidity (RH max) (%)	25 ÷ 95	
Environmental class	Ш	

MAIN FUNCTIONS	
Number of auxiliary relays (n°)	2
Access control via door opener code	Yes
Number of door opener codes (n°)	100



IP (VIP) SYSTEM SWITCH

4/4



IX0101KP

SWITCH FACEPLATE, 1 BUT. + ELECTRONIC KEY

ACCESSORIES



IX9160 HOUSING FOR FRONT PLATE W/ 1-2-3-4 BUTTONS

Surface-mounted casing for entrance panels art. IX0101, IX0102, IX0103 and IX0104 with 1-2-3-4 buttons.



IX9150 FLUSH-MOUNTED BOX FOR FRONT PLATE W/ 1-2-3-4 BUTT.

Flush-mounted box for entrance panels art. IX0101, IX0102, IX0103 and IX0104 with 1-2-3-4 buttons. Dimensions: 124x236.7x56 mm.