CS-S1C-24WFBS



Introduction

S1C action camera supports 1080P/30fps video recording, 8MP resolution photos, as high as 15 photos/s burst mode and time lapse mode of 5 minutes intervals.

Besides, in S1C there're touchable screen and super aspheric lens. Our innovative distortion correction technology is used to ensure a pleasant experience during video recording.

Key Features

1080P 30FPS Video With HDR

OV Image Sensor WDR(3x)

Built-In Touchable LCD Screen (2 inch)

Auto Low Light and Long Exposure

Build In Wi-Fi and BLE 4.0(Broadcom)

Support Micro SD card, up to 128GB

Waterproof housing 40m

Distortion Correction

New Ambarella Video Processor A12



Dimensions





OPTIONAL COLOR





SPECIFICATION

		Resolution	NTSC(fps)	PAL(fps)	Field Of View		
Video	Video Format	1080P	30	25	Wide		
		720P	30/60	25/50	Wide		
		H.264 BP/MP/HP Level 5.1 With MP4 Mixed File Format					
	Record Mode	Video Video+Photo					
	Low Light	Auto Adjust Frame Rate for enough exposure time purpose					
	Distortion Correct	Better X/Y Correct					
	HiLight Tag	High Light Important Time point, used for Post processing					
	Loop Mode	To set up the storage mode according to the time interval set					
	Meter Mode						
	Professional	Center、Average、Spot White Palance ISO Sharpness Ev Comp Color Pattern					
		White Balance、ISO、Sharpness、Ev Comp、Color Pattern					
Single	Photo Size	8MP Wide 4MP Wide					
		2MP Wide					
	Distortion Correct	Better X/Y Correct					
	Meter Mode	Center、Average、Spot					
	Professional	White Balance、ISO、Sharpness、Ev Comp、Color Pattern					
Burst	Photo Size	8MP wide					
		4MP Wide					
		2MP Wide					
		15 pictures 1 second 15 pictures 2 seconds					
		15 pictures 2 seconds 15 pictures 3 second					
		10 pictures 1 seconds					
	Burst Rate	10 pictures 2 second					
		10 pictures 3 second					
		5 pictures 1 second (default)					
		3 pictures 1 second					
	Distortion Correct	Better X/Y Correct					
	Meter Mode	Center、Average、Spot					
	Professional	White Balance、ISO、Sharpness、Ev Comp、Color Pattern					
	Shutter Mode	Timelapse Photo、Timelapse Video					
	Photo Size	8MP Wide/4MP Wide/2MP Wide					
	Video Resolution	1080P/720P					
,	Shutter Interval	Timelapse Photo 1s、3s、5s、10s、30s、60s、300s					
Timelapse		Timelapse Video 0.5s、1s、1.5s、2s、2.5s、3s、5s					
	Meter Mode	Center、Average、Spot					
	Distortion Correct	Better X/Y Correct					
	Professional	White Balance、ISO、Sharpness、Ev Comp、Color Pattern					



Playback	Decode Photo and Video Files in sd Card and Display it via LCD or HDTV					
	View Up、Down、Auto					
	Default Mode	Video、Single、Burst、Timelapse				
	Driving Mode	The camera automatically starts and Shutter after the camera detects the				
	0 111	motion				
	Vout Mode	Switching HDMI HD output and AV analog output				
	LED	Set it on or off				
	OSD	Turn on screen display on or off				
	Quickly Capture	Camera will Fastest speed boot and start shutter				
Setup	Auto Off	Set Auto Powe				
	Date And Time	Set Date And Time				
	Mic Gain	Set The Gain of Mic				
	Speaker Gain	Set The Gain of Speaker				
	Camera Reset	Reset Camera to default Settings				
	BLE 4.0	Embedded bluetooth4.0				
	-	802.11b/g/n、Mobile App Support				
	WIFI	SSID	Support SSID Modify with Mobile App			
Wireless		KEY	Support KEY Modify with Mobile App			
		RESET	Reset SSID and KEY to system default			
	HDMI	Display With				
Display	AV	AV output Use USB Interface				
	Embedded LCD LCD With Touch Pannel					
Lens Specification	1/3" CMOS					
	Full glass lens for high image quality, 3mm@f3.0 140°Ultra-wide angle of view with less distortion					
Platform	Ambarella new generation Video Processor A12, using advanced 28-nm silicon technology					
Memory	2Gb DDR3、1Gb Nand Flash					
Sensor	OV new generation Video Sensor OV4685					
	Battery Type	e Replaceable Rechargeable li-ion battery				
Battery	Battery Parameters	1160mAh				
	Battery Life	2 hours (Varies with different video mode)				
	48kHz (sampling), AAC compression					
		Advanced AGC (automatic gain control)				
	Advanced AGC (automa	tic gain control)				
Audio	Build-in two microphon	e for wind noise	reduce			
Audio	,	e for wind noise	reduce			
Audio	Build-in two microphon	e for wind noise nutter notify For charging w	hen connect with power cable;			
Audio	Build-in two microphone Single track/Beeps for sl	e for wind noise nutter notify For charging w				
Audio	Build-in two microphone Single track/Beeps for sl Micro USB	e for wind noise nutter notify For charging w For playback/fi AV output	hen connect with power cable; le transportation/charging when connecting with PC;			
	Build-in two microphone Single track/Beeps for sl Micro USB Micro HDMI	e for wind noise nutter notify For charging w For playback/fi AV output For play on HD	hen connect with power cable;			
	Build-in two microphone Single track/Beeps for sl Micro USB Micro HDMI MicroSD	For charging w For playback/fi AV output For play on HD Storage card	hen connect with power cable; le transportation/charging when connecting with PC; TV via HDMI cable			
Interface	Build-in two microphone Single track/Beeps for sl Micro USB Micro HDMI MicroSD Standard	For charging w For playback/fi AV output For play on HD Storage card Class 10 or up to	hen connect with power cable; le transportation/charging when connecting with PC; TV via HDMI cable to UHS-1 level Micro SD storage card			
	Build-in two microphone Single track/Beeps for sl Micro USB Micro HDMI MicroSD Standard Capacity	For charging w For playback/fi AV output For play on HD Storage card Class 10 or up to	hen connect with power cable; le transportation/charging when connecting with PC; TV via HDMI cable to UHS-1 level Micro SD storage card GGB、32GB、64GB、128GB			
Interface Storage	Build-in two microphone Single track/Beeps for sl Micro USB Micro HDMI MicroSD Standard Capacity Recording Time	For charging w For playback/fi AV output For play on HD Storage card Class 10 or up to 4GB、8GB、10 Varies with diff	hen connect with power cable; le transportation/charging when connecting with PC; TV via HDMI cable TO UHS-1 level Micro SD storage card TO SGB、 32GB、 64GB、 128GB TO THE STORAGE CARD TO THE STO			
Interface Storage Photo/Video Preview/	Build-in two microphone Single track/Beeps for sl Micro USB Micro HDMI MicroSD Standard Capacity Recording Time App for Mobile	For iOS and Ar	hen connect with power cable; le transportation/charging when connecting with PC; TV via HDMI cable to UHS-1 level Micro SD storage card GGB、32GB、64GB、128GB Gerent resolution and frame rate indroid system			
Interface Storage	Build-in two microphone Single track/Beeps for sl Micro USB Micro HDMI MicroSD Standard Capacity Recording Time	For iOS and Ar Live view, playl	hen connect with power cable; le transportation/charging when connecting with PC; TV via HDMI cable TO UHS-1 level Micro SD storage card TO GB \$\cdot 32GB \cdot 64GB \cdot 128GB Therefore the control of the contr			
Interface Storage Photo/Video Preview/	Build-in two microphone Single track/Beeps for sl Micro USB Micro HDMI MicroSD Standard Capacity Recording Time App for Mobile Device	For charging w For playback/fi AV output For play on HD Storage card Class 10 or up fi 4GB、8GB、10 Varies with diff For iOS and Ar Live view, playl touch share to	hen connect with power cable; le transportation/charging when connecting with PC; TV via HDMI cable to UHS-1 level Micro SD storage card GGB、32GB、64GB、128GB Ferent resolution and frame rate adroid system back, recording, configuration, video file editing, and one-social media are supported.			
Interface Storage Photo/Video Preview/ Playback /Setup	Build-in two microphone Single track/Beeps for sl Micro USB Micro HDMI MicroSD Standard Capacity Recording Time App for Mobile Device Camera	For charging w For playback/fi AV output For play on HD Storage card Class 10 or up to 4GB、8GB、10 Varies with diff For iOS and Ar Live view, playl touch share to	hen connect with power cable; le transportation/charging when connecting with PC; TV via HDMI cable TO UHS-1 level Micro SD storage card TO GB \$\cdot 32GB \cdot 64GB \cdot 128GB Therefore the control of the contr			
Interface Storage Photo/Video Preview/ Playback /Setup Protection Grade	Build-in two microphone Single track/Beeps for sl Micro USB Micro HDMI MicroSD Standard Capacity Recording Time App for Mobile Device Camera Remote	For charging w For playback/fi AV output For play on HD Storage card Class 10 or up to 4GB、8GB、10 Varies with diff For iOS and Ar Live view, playl touch share to 40 meters divin	hen connect with power cable; le transportation/charging when connecting with PC; TV via HDMI cable TO UHS-1 level Micro SD storage card GGB、32GB、64GB、128GB Ferent resolution and frame rate adroid system Dack, recording, configuration, video file editing, and one-social media are supported.			
Interface Storage Photo/Video Preview/ Playback /Setup	Build-in two microphone Single track/Beeps for sl Micro USB Micro HDMI MicroSD Standard Capacity Recording Time App for Mobile Device Camera	For charging w For playback/fi AV output For play on HD Storage card Class 10 or up to 4GB、8GB、10 Varies with diff For iOS and Ar Live view, playl touch share to 40 meters divin	hen connect with power cable; le transportation/charging when connecting with PC; TV via HDMI cable to UHS-1 level Micro SD storage card GGB、32GB、64GB、128GB Ferent resolution and frame rate adroid system back, recording, configuration, video file editing, and one-social media are supported.			
Interface Storage Photo/Video Preview/ Playback /Setup Protection Grade	Build-in two microphone Single track/Beeps for sl Micro USB Micro HDMI MicroSD Standard Capacity Recording Time App for Mobile Device Camera Remote	For charging w For playback/fi AV output For play on HD Storage card Class 10 or up to 4GB、8GB、10 Varies with diff For iOS and Ar Live view, playl touch share to 40 meters divin IP66	hen connect with power cable; le transportation/charging when connecting with PC; TV via HDMI cable to UHS-1 level Micro SD storage card GGB、32GB、64GB、128GB Ferent resolution and frame rate adroid system back, recording, configuration, video file editing, and one-social media are supported.			

