

# SecuPlace

## PLUS

Wireless alarm kit with Wi-Fi & GSM connectivity

FULLY WIRELESS

PRE-PROGRAMMED

GET ALERTS TO YOUR PHONE




PET IMMUNE

### Complete Control

The free app allows you to access, control and view your alarm system remotely.

POWERED BY MICROSOFT AZURE



Play Store



App Store



### KIT INCLUDES:

- 3 x Pet Immune Motion Detectors (pre-programmed)
- 1 x Magnetic Door Contact (pre-programmed)
- 1 x Multi-function Keyfob (pre-programmed)
- 1 x Wireless Sounder with cover
- 1 x SecuPlace Wi-Fi / GSM panel
- 1 x World roaming SIM card

ORDER CODE: ELKITPLUS

# SecuPlace

PLUS

Wireless alarm kit with Wi-Fi & GSM connectivity

## Cost Effective, Wireless Professional Security System

SecuPlace offers professional-level security and a wider range of features than standard alarm systems:

- A fully wireless, Wi-Fi enabled system with built in GSM, offering quick and easy installation in any location.
- Convenience and peace of mind, smartphone app enables full control on the go, anywhere, anytime.
- A complete solution for the home with a wide range of accessories available.
- Expandable system with up to 32 wireless zones which can be linked to the panel. Up to five panels can be operated from the one app.

Internal Sounder

Panic Button

Tri Bell (Battery Powered)

Shock Detector

Universal Transmitter

Smoke & Heat Detector

Multifunction Round Keyfob

SecuPlace Panel App Compatible Panel

Magnetic Door Contact

1 & 2 Way Pet Immune Detector (Internal)



Also available, Wi-Fi only option

(Sounder not included in kit)

SecuPlace LITE

ELKITLITE



### We also offer a range of VUpoint P2P Wi-Fi Cameras

- Live View
- Take Snapshots
- Record Events

All from one app on your smartphone!



Main Features	
Technology	FM
Arming Options	Full, perimeter, part
Distress keys	Panic, fire, medical
Number of user codes	25 four-digit codes
Maximum number of zones	33
Wireless zones	32
Wired zones	1 N.C. on-board
Wireless keyfobs	Up to 19 multifunction keyfobs
Wireless keypads	Up to 4 keypads
Repeaters	Up to 4 repeaters
Number of accounts	Up to 6 accounts for central station event reporting or vocal message event reporting to the end user
Reporting protocols	Contact ID, SIA, SMS SIA, SMS Contact ID
End user notifications	SMS messages, voice message, e-mails, follow-me numbers
Event log	1022 on the control system, over 2000 logged on the ELAS
Voice messages	16 recorded event messages, Home ID
Speed dial numbers	1 service call number
Web user application	Video look-in, remote system activation and control, system settings, event notification settings
Mobile applications	WAP, smartphones (iPhone, Android etc) applications for remote system activation, system settings and event notification settings
App users	Up to 25
No. of panels on one app	Up to 15
Frequency	868 MHz

End User Features	
E-mail	Event notification
SMS/MMS options	SMS remote system activation and control and event notification
DTMF options	Remote system activation control and programmable outputs control
Audio verification	Voice message event notification, two-way audio, follow-me, listen-in

Professional Options	
Firmware upgrade	Local firmware upgrades via a standard USB cable
Remote firmware upgrade	Upgrade firmware via GSM/3G & Wi-Fi
Remote programming	Via GSM/3G, Wi-Fi

Modules	
GSM	Event notification, two-way audio, remote programming, listen-in, DTMF control, Event notifications, SMS remote activations, two-way audio, remote programming, listen-in, DTMF control
3G, GPRS and Wi-Fi	Remote firmware upgrade, e-mail, event notifications (Including SMS via the ELAS), remote programming

Hardware Features	
Programmable outputs	1 solid state (300mA max. load)
Built-in siren	85dB or 105dB
Power supply	Internal or external 9VAC output, 230v / 115v input
Operating temperature	0-60°C / 32-140°F
Backup battery pack	4.8V/1.3Ah
Communication modules	GSM/3G, Wi-Fi

GLITSECUPPLUS  
SECUPPLACE PLUS BROCHURE



Contact us today: T: +44 (0)161 655 5500 E: sales@riscogroup.co.uk

W: www.riscogroup.com/uk/electronics-line

@riscogroupuk riscouk

