

3348BM



Digital electronic key module with LED keypad backlighting. Blue, white and off lighting options; stainless steel finish. When a number with between 1 and 8 digits is entered on the keypad, two relays (10A) are activated, allowing the operation of electric door locks or other devices. Dimensions 112x89.5x40 mm.



3348BM

ELECTRONIC KEY MODULE, IKALL METAL SERIES

| MAIN FEATURES | |
|--------------------------------|---------------------------------------|
| Product height (inch): | 3.52 |
| Product width (inch): | 4.41 |
| Product depth (inch): | 1.57 |
| Operating temperature (°F): | 23 ÷ 131 |
| RH max operating humidity (%): | 25 ÷ 75 |
| Supply voltage: | 12VDC/12VAC (stand-alone) / Simplebus |

| GENERAL DATA | |
|-----------------|---------------|
| Type of finish: | Plastic/Steel |
| Product colour: | Steel |

| MOUNTING/INSTALLATION | |
|-----------------------|-----|
| Flush-mounted: | Yes |

| ELECTRICAL SPECIFICATIONS | |
|---|----|
| Absorption in stand-by (mA): | 20 |
| Absorption with 1 bistable relay activated (mA): | 45 |
| Absorption with 2 bistable relays activated (mA): | 65 |