




4895HIM

ADDIT. EXT. UNIT FOR VIP KIT - IKALL METAL. H264



Single-family video door entry external unit for ViP system with Ikall Metal entrance panel. The kit comprises: 1 flush-mounted box Art. 3110/1, 1 silver coloured frame Art. 3311/1S, 1 module with 1 button art. 33411M and 1 colour audio/video unit Art. 4682HKE. The external unit is coded with ViP address 101 and the button on module Art. 33411M sends the call to ViP address 1. Compatible with H.264 video format.



4895HIM

ADDIT. EXT. UNIT FOR VIP KIT - IKALL METAL. H264

MAIN FEATURES

Audio/video system:	Yes
Flush-mounted:	Yes
Camera:	
Type of sensor:	1/3" CCD
Lens size (inch):	0.14
Minimum colour lighting (lux):	0.23
Video resolution (H x V - pixel):	
Video encoding:	H.264
Power supply:	PoE (Class 0) / VIP (37 ÷ 57 VDC)
Microphone volume control:	Yes
Loudspeaker volume control:	Yes
Operating temperature (°F):	-13 ÷ 131
IP protection rating:	IP54

SOFTWARE/FIRMWARE SPECIFICATIONS

IP assignment:	AutoIP, DHCP, Static IP
----------------	-------------------------

FUNCTIONS

Key button function:	Yes
----------------------	-----

HARDWARE SPECIFICATIONS

Visual signalling:	Yes
Acoustic signalling:	Yes
Speech synthesis:	Yes

GENERAL DATA

Product height (inch):	4.92
Product width (inch):	4.92
Product depth (inch):	1.48

COMPATIBILITY

Vip system:	Yes
-------------	-----

CONNECTIVITY

Ethernet ports:	1
-----------------	---

ELECTRICAL SPECIFICATIONS

Door release (dry contact bridge):	1 (0.25A@12VDC)
------------------------------------	-----------------

The technical specifications are subject to variations without warning.



4895HIM

ADDIT. EXT. UNIT FOR VIP KIT - IKALL METAL. H264

ELECTRICAL SPECIFICATIONS

Door release (direct current output):



4895HIM

ADDIT. EXT. UNIT FOR VIP KIT - IKALL METAL. H264

ACCESSORIES



3110/1

1 MODULE FLUSH-MOUNTED BOX FOR POWECOM/IKALL ENTRANCE PANEL


Flush-mounted box for Powercom/Ikall entrance panel. 1 module. Dimensions 4.6" x 4.6" x 1.7"



31161

NATURAL ANODISED ALUMINIUM HOUSING WITH RAIN SHIELD

Natural anodised aluminium housing with rain shield. 1 module. Dimensions 5.3" x 5.3" x 3.6"



3311/1S

IKALL SERIES 1-MODULE HOLDER FRAME, SILVER FRAME

Made from die-cast aluminum and powder-coated for outside use. 1 module. Silver. Dimensions 4.9" x 4.9" x 1,5"



33411M

IKALL SERIES 1-BUTTON MODULE FOR AUDIO/VIDEO UNIT

Module designed for audio/video speaker unit, with stainless steel finish. Nameplates with LED lighting (options: blue, white or off). To be fitted with a suitable video entry speaker unit depending on the cabling system used. Dimensions 112x89.5x32 mm.



4682HKE

COLOUR AV UNIT FOR VIP SYSTEM, IKALL SERIES. H264

ViP KIT system audio-video unit, complete with mini lens colour camera which is adjustable from the front and LED camera lighting. Complete with terminal block and digital audio management system with Echo-cancelling, watertight loudspeaker and electret microphone, loudspeaker volume adjustable from the front. Audio/video unit already programmed with ViP 101 address. Dimensions: 102x55x38 mm. Compatible with H.264 video format