



8561V

QUADRA KIT AND MINI WI-FI/GW. VIP SYSTEM



The kit consists of No. 1 Quadra external video entry unit for VIP kits art. 4899K, No. 1 power supply unit art.1441B, No. 1 network switch art.1440 and No. 1 Mini handsfree Wi-Fi monitor art. 6742WK. The kit is pre-programmed and ready for use. The kit is expandable with other VIP catalog products. Compatible with H.264 video format.

AWARDS





8561V

QUADRA KIT AND MINI WI-FI/GW. VIP SYSTEM

KIT PRODUCT



6742WK

White HF Mini Monitor WI-FI/GW for VIP KIT

MAIN FEATURES - 6742WK

Audio system:	No
Audio/video system:	Yes
Flush-mounted:	No
Wall-mounted:	Yes
Desk base-mounted:	Yes
Hands-free function:	Yes
Induction loop function:	Yes
Type of display:	LCD
Display size (inch):	
Touch screen display:	Yes
Display resolution HxV (inch):	480x272
B/W or colour display:	
Product colour:	White
Sensitive Touch technology:	Yes
Total buttons:	8
LED signaling (no.):	4
Wi-Fi Port:	Yes
Comaptibility with Video Entry Comelit App:	Yes



4899K

QUADRA EXTERNAL UNIT FOR VIP KIT

Quadra series wall-mounted external video entry unit pre-programmed for kit art. 8561V. Die-cast aluminium faceplate, colour video camera and a single LED for night-time lighting. Capacitive buttons with possibility to set from 1 to 4 call buttons using dip switches. Indicator LED for call sent, lock-release activated, audio activated and system busy. Adjustment of speaker volume and audio balance. POE power supply. Dimensions: 95x195x28mm.

MAIN FEATURES - 4899K

Type:	Monoblock
Material:	Die-cast aluminium
Wall-mounted:	Yes
Camera:	



8561V

QUADRA KIT AND MINI WI-FI/GW. VIP SYSTEM

MAIN FEATURES - 4899K

Type of sensor:	1/4" CMOS
Lens size (inch):	2,79
Video resolution (H x V - pixel):	1152x640
Signaling LED:	Call sent, lock-release activated, audio activated, system busy
Power supply:	PoE (Class 0) / VIP (37 ÷ 57 VDC)
Maximum current absorption (mA):	85
Clamps:	NO C V- RTE DO SE+ SE- CN1
Buttons to call:	Yes
Total buttons:	1
Loudspeaker volume control:	Yes
Operating temperature (°C):	-25 ÷ 55
RH operating humidity (%):	25 ÷ 75
IP protection rating:	IP54
Vandal Resistant rating (IK code):	



1440

NETWORK SWITCH 4 PORT

Floor shunt with one input, one output (10/100 Mb) and 4 shunts (10 MB). Dimensions 66 x 85 x 35 mm

MAIN FEATURES - 1440

Product height (inch):	89
Product width (inch):	72
Product depth (inch):	62
Operating temperature (°C):	5 ÷ 40
RH max operating humidity (%):	25 ÷ 75
DIN rail mounted:	Yes
DIN modules (no.):	4



1441B

30W VIP SYSTEM POWER SUPPLY UNIT

Power supply unit with 110Vac/240Vac input and 48Vdc output. 30W power. DIN bar power supply unit (4 DIN modules). Dimensions: 72x93x56mm

**8561V****QUADRA KIT AND MINI WI-FI/GW. VIP SYSTEM**

MAIN FEATURES - 1441B

Alternating input voltage (VAC):	110÷240
Number of DIN modules:	4



8561V

QUADRA KIT AND MINI WI-FI/GW. VIP SYSTEM

ACCESSORIES



4899K


QUADRA EXTERNAL UNIT FOR VIP KIT

Quadra series wall-mounted external video entry unit pre-programmed for kit art. 8561V. Die-cast aluminium faceplate, colour video camera and a single LED for night-time lighting. Capacitive buttons with possibility to set from 1 to 4 call buttons using dip switches. Indicator LED for call sent, lock-release activated, audio activated and system busy. Adjustment of speaker volume and audio balance. POE power supply. Dimensions: 95x195x28mm.



6742WK

White HF Mini Monitor WI-FI/GW for VIP KIT



4791

Adapter plate for Quadra

Plate allowing installation of the Quadra external unit in 1- and 2-module flush-mounted boxes by Comelit, Bticino and Urmet. Dimensions 137x236 mm



4792

RAIN SHIELD FOR QUADRA ENTRANCE PANEL

Rain shield in painted aluminum for Quadra entrance panel, grey colour. Dimensions (W x H x D): 99 x 210 x 41 mm.



4793B

BLACK FACEPLATE FOR QUADRA ENTRANCE PANEL

Black faceplate for Quadra entrance panel



4793C

CORTEN FACEPLATE FOR QUADRA ENTRANCE PANEL

Corten faceplate for Quadra entrance panel



8561V


QUADRA KIT AND MINI WI-FI/GW. VIP SYSTEM

ACCESSORIES



4793A

ALUMINIUM FACEPLATE FOR QUADRA ENTRANCE PANEL
Aluminium colour faceplate for Quadra entrance panel



1217

NAME TAG SHEETS FOR QUADRA ENTRANCE PANEL
The kit contains 10 sheets of adhesive labels for nameplates



1235A

NAMEPLATE LABEL PRINTING SOFTWARE

Dedicated software for the creation and printing of nameplate and information labels for Ikall, Vandalcom, Quadra and 316 Analog entrance panels. Requires use of adhesive labels art.1217, 1218, 1219 or art.1220. This software is available to download free of charge from the Comelit website



6711WV

ADAPTER PLATE FOR MINI HANDSFREE

Adapter plate to finish the installation of the Mini Handsfree monitor in case of replacement of flush-mounted or wall-mounted Planux, Smart and Icona monitors. White color. Dimensions: 170x220x3 mm.



6720V

Bracket for routing Mini HF VIP external cables

Wall bracket for ViP system hands-free Mini monitor; allows through-routing of external cables.



6732V

DESK BASE FOR MINI HF MONITOR. VIP

Accessory for desk installation of the Mini hands-free monitor, ViP system.